


## ITA Class II Forks

Part Number	T x W x L (in)	ITA Class	Weight (lbs)	Capacity per Pair (lbs) @ 24" Load Center
FACC03600STD	1.50 x 4 x 36	II	93	5,500
FACC04200STD	1.50 x 4 x 42	II	104	5,500
FACC04800STD	1.50 x 4 x 48	II	117	5,500
FACC05400STD	1.50 x 4 x 54	II	126	5,500
FACC06000STD	1.50 x 4 x 60	II	137	5,500
FACC07200STD	1.50 x 4 x 72	II	161	5,500
FACD04200STD	1.50 x 5 x 42	II	117	5,500
FACD04800STD	1.50 x 5 x 48	II	141	5,500
FACD05400STD	1.50 x 5 x 54	II	154	5,500
FACD06000STD	1.50 x 5 x 60	II	168	5,500
FACD07200STD	1.50 X 5 X 72	II	202	5,500
FADC03600STD	1.75 x 4 x 36	II	102	5,500
FADC04200STD	1.75 x 4 x 42	II	115	5,500
FADC04800STD	1.75 x 4 x 48	II	126	5,500
FADC05400STD	1.75 x 4 x 54	II	139	5,500
FADC06000STD	1.75 x 4 x 60	II	152	5,500
FADC07200STD	1.75 x 4 x 72	II	176	5,500
FADC09600STD	1.75 X 4 X 96	II	227	5,500
FADD04200STD	1.75 x 5 x 42	II	141	5,500
FADD04800STD	1.75 x 5 x 48	II	161	5,500
FADD05400STD	1.75 x 5 x 54	II	177	5,500
FADD06000STD	1.75 x 5 x 60	II	185	5,500





## Notes

- Lock pin assembly included on all ITA hook forks
- Standard taper forks supplied with no bevel on tips
- Purchasing one (1) fork is non returnable and non refundable
- Other sizes may be available from our production inventory; please call the factory for price and availability

## ITA Class III Forks

Part Number	T x W x L (in)	ITA Class	Weight (lbs)	Capacity per Pair (lbs) @ 24" Load Center
FBDD03600STD	1.75 X 5 X 36	III	139	7,600
FBDD04200STD	1.75 X 5 X 42	III	152	7,600
FBDD04800STD	1.75 X 5 X 48	III	170	7,600
FBDD05400STD	1.75 X 5 X 54	III	189	7,600
FBDD06000STD	1.75 X 5 X 60	III	205	7,600
FBDD07200STD	1.75 X 5 X 72	III	235	7,600
FBED04200STD	2 X 5 X 42	III	172	9,500
FBED04800STD	2 X 5 X 48	III	188	9,500
FBED05400STD	2 X 5 X 54	III	205	9,500
FBED06000STD	2 X 5 X 60	III	220	9,500
FBED07200STD	2 X 5 X 72	III	254	9,500
FBED09600STD	2 X 5 X 96	III	180	9,500
FBEE04800STD	2 X 6 X 48	III	223	10,000
FBEE05400STD	2 X 6 X 54	III	245	10,000
FBEE06000STD	2 X 6 X 60	III	250	10,000
FBEE07200STD	2 X 6 X 72	III	306	10,000
FBEE08400STD	2 X 6 X 84	III	346	10,000



## ITA Class IV Forks

Part Number	T x W x L (in)	ITA Class	Weight (lbs)	Capacity per Pair (lbs) @ 24" Load Center
FC EE04800STD	2 x 6 x 48	IV	256	12,000
FC EE05400STD	2 x 6 x 54	IV	276	12,000
FC EE06000STD	2 x 6 x 60	IV	295	12,000
FC EE07200STD	2 x 6 x 72	IV	337	12,000
FC FE08400STD	2.25 X 6 X 84	IV	445	16,300
FC FE09600STD	2.25 X 6 X 96	IV	496	16,300
FC GE04800STD	2.50 x 6 x 48	IV	318	17,500
FC GE05400STD	2.50 x 6 x 54	IV	344	17,500
FC GE06000STD	2.50 x 6 x 60	IV	370	17,500
FC GE07200STD	2.50 x 6 x 72	IV	421	17,500
FC GE08400STD	2.50 X 6 X 84	IV	469	17,500
FC GE09600STD	2.50 X 6 X 96	IV	524	17,500

## Pin Kits

### Pin Kits

Part Number	ITAClass
2523589	II
2523590	III
2523591	IV

### Notes

Other pin kit styles are available; call for price and availability.

