

# wagner

A Division of Allied Systems Company

**CP120  
COIL HANDLER  
60 TON CAPACITY**



#### Engine

Make and Model ..... Cummins N14  
Max Horsepower ..... 335 @ 2100 RPM  
Max Torque ..... 1010 Ft-Lbs @ 1400 rpm  
Bore and Stroke ..... 5.5" x 6"  
No. of Cylinders ..... 6  
Displacement ..... 855 Cu-In (14.0 liters)

#### Air Cleaner

Two Stage Dry Type

#### Electrical System

Type ..... 24 Volt Negative Ground/24 Volt Start  
Alternator ..... 100 AMP  
Batteries (2) ..... 12 Volt-8D @ 205 AMP Hr. each

#### Torque Converter

Clark 8000 Series, Stall Ratio 2.54:1

#### Transmission

Clark 5000 Series Power Shift; 4 Speeds Fwd/Rev

Speeds:	Unloaded	Loaded
1.....	3.3 mph (5.3 km/h) .....	3.3 mph (5.3 km/h)
2.....	5.9 mph (9.5 km/h) .....	5.9 mph (9.5 km/h)
3.....	10.5 mph (16.8 km/h) .....	10.0 mph (16.0 km/h)
4.....	18.9 mph (30.4 km/h) .....	13.6 mph (21.8 km/h)

#### Axes

Model (Bogie) ..... Clark 25D Wheel Ends  
Model (Chassis) ..... Clark 21D4354 with Posi-Torque  
Type ..... Planetary  
Brakes (Chassis) ..... Wet Disc  
Brakes (Bogie) ..... Dry Disc (Dual Caliper)

#### Tires

Front (Bogie) ..... 30.00 x 51 Bias  
Rear (Chassis) ..... 29.5 x 29 Radial


#### Hydraulic System

Steering Pump ..... 70 gpm  
Implement Pump ..... 50 gpm  
Tilt Cylinder (2) ..... 11" X 15.25" (279mm x 387mm)  
Hoist Cylinder (2) ..... 8" x 44" (203mm x 1118mm)  
Steering Cylinder (2) ..... 6" x 32" (152mm x 813mm)

#### Service Refill Capacities

Fuel Tank ..... 295 Gals (1116 liters)  
Hydraulic Oil ..... 160 Gals (605 liters)  
Crankcase w/Filter ..... 11 Gals (41 liters)  
Cooling System ..... 22 Gals (83.3 liters)

# CP120



## Dimensions (approximate)

- A. Overall Length ..... 35' 6" (10,820mm)
- B. Wheelbase ..... 20' 6" (6248mm)
- C. Cab Height ..... 13' 4" (4064mm)
- D. Outside Chassis Width (Tires) ..... 10' 10" (3302mm)
- F. Outside Bogie Width ..... 15' 1" (4597mm)
- G. Ground Clearance (Chassis) ..... 21" (533mm)
- H. Turning Radius - Centerline Machine ..... 26' 6" (8077mm)
- J. Outside Turning Radius ..... 34' 6" (10,515mm)
- K. Probe Lowered Position (Below Ground) ..... 9" (228mm)
- L. Probe Height (Raised) ..... 64" (1626mm)
- M. Probe Length ..... 126" (3200mm)
- N. Inside Opening ..... 88" (2235mm)
- P. Probe Diameter ..... 20" (508mm)

## Weights and Functions (approximate)

- |                              |              |             |
|------------------------------|--------------|-------------|
| Unit Weight                  | 103,000 lbs  | (46,267 kg) |
| Bogie End                    | 55,500 lbs   | (25,175 kg) |
| Chassis End                  | 47,500 lbs   | (21,546 kg) |
| Articulation                 | 48° each way |             |
| Oscillation                  | 7° each way  |             |
| Rated Lift Capacity @ 63" LC | 60 tons      |             |

# wagner

**A Division of Allied Systems Company**

21433 S.W. Oregon Street  
Sherwood, Oregon 97140 USA  
Telephone: 503.625.2560 • Fax: 503.625.7980  
E-mail: [wagner@alliedsystems.com](mailto:wagner@alliedsystems.com)

[www.alliedsystems.com](http://www.alliedsystems.com)

Printed in USA

1/01

Form 85-532