


ENGINE ACCESSORY HARNESS


PLUG POSITION	WIRE
A	BLK
B	GRN
C	WHT
D	ORG
E	WHT
F	GRN/BLK 11
G	BLUE 9
H	RED/BLK 8
J	BLK/WHT 69

1 REFERENCE COWL ASSEMBLY, PROGRAM REWORK FOR LOGIC DIAGRAM OF PROGRAMMABLE CONTROLLER.


NOTE: ALL WIRE TO BE #16 AWG UNLESS OTHERWISE SPECIFIED.



1 REFERENCE COWL ASSEMBLY, PROGRAM REWORK FOR LOGIC DIAGRAM OF PROGRAMMABLE CONTROLLER.
NOTE: ALL WIRE TO BE #16 AWG UNLESS OTHERWISE SPECIFIED.




NOTE: ALL WIRE TO BE #16 AWG UNLESS OTHERWISE SPECIFIED.




REFER TO PAGE 5/5 FOR DELAY WIPER INSTALLATION.
NOTE: ALL WIRE TO BE #16 AWG UNLESS OTHERWISE SPECIFIED.

DELAY WIPER INSTALLATION



BRAKE BUTTON INSTALLATION



NOTE: ALL WIRE TO BE #16 AWG UNLESS OTHERWISE SPECIFIED.