



PARTS SERVICE BULLETIN

A0-0-00
DATE: March. 12, 2025
MODEL(S): All
PAGE 1 OF 9

21433 SW Oregon Street, Sherwood, OR 97140-9799 USA • Tel 503.625.2560 • Fax (Winch Dept) 503.625.7269 • Fax (Parts Dept) 503.625.5132

SUBJECT: Index

A0-A HYDRAULIC – Control Valve

CODE	REV	SUBJECT	MODEL
A0-A-2		Control Valve Spool Positions	D7F, D89A
A0-A-3		Cooling Oil Relief Valve Setting	D6C, D7F, D89A
A0-A-4		Brake Inching Spool Stop Revision	D6C, D7H, D89B
A0-A-7		Control Valve Change - Cooling Oil Spring Retainer	D6C, D6D, D7F, D89A, D89B
A0-A-8	R1	Control Valve Spool Adjustments	D6E, D7J, D89C
A0-A-9		Relief Valve Change	D6D, D7F, D7H, D89A, D89B
A0-A-10	R2	Hydraulic System Improvements	W5A
A0-A-11		Parts Book Correction for Parker Control Valve	D6E
A0-A-12		Square Cornered Accumulator Valve Cam. P/N 279397	W5A, W6F, W8L, W12E
A0-A-13	R1	Update Required for Gear Code #9	W8L
A0-A-14	R1	Update Required for Gear Code #9	W8L
A0-A-15		Winch Drum Roll-back Kit	W6GE, W8LE, W12EE

A0-B HYDRAULIC – Dump Valve

CODE	REV	SUBJECT	MODEL
A0-B-3	R1	Dump Valve Assembly P/N 181031	D7H, D7J, D7K, D89B, D89C

A0-D HYDRAULIC – Lines & Fittings

CODE	REV	SUBJECT	MODEL
A0-D-5	R1	Hydraulic System Change	D89B
A0-D-7		Suction Hose Replacements	D7H, D89B
A0-D-8	R1	Relocation of Magnetic Suction Screen	W6F
A0-D-9	R1	Suction Fitting Change for Caterpillar D5	D6C, D6D, D6E, W6E
A0-D-10	R1	Relocation of Suction Tube Pick-Up	W5A
A0-D-11		Accumulator Hoses	W6F, W8L, W12E
A0-D-12		Charge off the Inlet	W6F, W8L
A0-D-13		Improved Pressure Hose Routing	W6F
A0-D-14		One Piece Suction Hose	D7H, D89B
A0-D-15		Field Conversion for Charging off the Inlet	W5A

A0-D-16		Supply and Return Hose Routing	WH5C-E48
A0-D-17	R1	Orifice required for Brake-Off Function	H5C, H6G
A0-D-18	R1	Update Required for Hydraulic Driven Winches	WH5C, WH6G
A0-D-20		Improved Pinion Gear Lubrication For Steep Slope Applications	W6F

A0-E HYDRAULIC – Pump

CODE	REV	SUBJECT	MODEL
A0-E-3	R2	New In-Line Drive Pump Conversion Kit	D7H, D89B
A0-E-5	R3	High Volume Hydraulic Pump	D6C, D6D
A0-E-6	R2	New Design Hydraulic Pump	D7H, D7J, D7K, D89B, D89C
A0-E-7		Hydraulic Pump—D8H Tractor Brake Linkage Interference	D89C, D89D, W12D
A0-E-8		Pump Drive Gear and Nut	W6F, W8L, W12E
A0-E-9		Repair Kit P/N 301978 for Hydraulic Pump 225235	W6F, W8L, W12E
A0-E-10		TD15C Pump drive Group	W6EH
A0-E-11	R1	Hydraulic Pump Change	W6F, W8L, W12E
A0-E-12	R1	Rear-Ported Pump Group for D7F and D7H Military Winches	D7F, D7H-Military
A0-E-13		Pump Drive Gear Kit Available for Winches S/N AW3C-2760 and below	W3C
A0-E-14		Instruction for Reversing Gear Pump Rotation	W6F
A0-E-15	R2	Hydraulic Pump Conversion Kit for W3C-R15	W3C R15
A0-E-16		hydraulic Pump Drive Gear Failures	W6G

A0-Z HYDRAULIC – Misc.

CODE	REV	SUBJECT	MODEL
A0-Z-6	R1	Winch Pressure Line Oil Filter for D9G Tractor	D89B
A0-Z-7	R1	Winch Oil Filter	D89B
A0-Z-9	R2	Winch In-Line Filter Installation Caution	D7H, D7J, D89B, D89C
A0-Z-12		Pressure Line Filter Options for the D7H Power Controlled Winch	D7H
A0-Z-15		Pressure Line Oil Filter Installation	D6E
A0-Z-16		Suction Screen P/N 95893	D7F, D7H, D7J, D7K, D89B, D89C
A0-Z-17		Suction Tube Foot Valve P/N 177369	All Power Controlled “D” Series Winches
A0-Z-18		W6E Oil	W6E
A0-Z-19	R2	Pressure Filters for Power Controlled Winches	W5A, W6E, W6F, W8K, W8L, W12D, W12E
A0-Z-21		Improved Spin-On Filter Element	All W-Series Power Controlled Winches
A0-Z-22	R1	Accumulator Charging Adapter P/N SKS 6495	W5A, W5B, W6F, W8L, W12E

A0-Z-23		Increased Oil Capacity for Working on Slopes	W5A
A0-Z-24		New Steel Accumulator P/N 327610	W3A, W5A, W5B, W6F, W8L, W12E
A0-Z-25	R2	Winch Oils with Improved Inching Capacity	W5B, W6F, W8L, W12E
A0-Z-26	R3	Winch Oil	W3A, W3.5B, W5B, W6F, W8L, W12E
A0-Z-27		Soft Shift Kit for W3C Winches Mounted on CAT D3-5C HYSTAT Tractors	W3C
A0-Z-28	R4	Accumulator Kits for 327610W	All SCH Series Winches
A0-Z-29	R1	Recommended Oil List	W3C, W5B, W6F, W6G, W8L, W12E
A0-Z-30	R1	Hydraulic Control Upgrades	H5C, H6G
A0-Z-31		Cooling Circuit and Pump Drive Update	W12E, Gear Ratio #7
A0-Z-32		Product Improvement for W12E Pump Drive Assemblies	W12EE7S
A0-Z-33		Installation Of Allied H12E Winch For Komatsu D155 Dozers	H12ET1D-K64
A0-Z-34		LS Pressure Adjustment on Komatsu D85 Dozers with H8L	H8L
A0-Z-35		Adjust Hydraulic Winch Brake Release On Line-In To Prevent Rollback	H5C, H6H, H8L
A1-A		TRANSMISSION – Gear Assemblies	
CODE	REV	SUBJECT	MODEL
A1-A-8		Brake Shaft Bearing Adjustment	D6C, D6D, D6E
A1-A-10		Service Manual Correction	D6E, D7J, D89C
A1-A-12	R4	Relocation of Oil Passageway between Clutch Hub and Shaft	D6E, D7K, D89C
A1-A-14		Gear Design Change	W5A
A1-A-15		Parts Book Correction for Brake Shafts	W89D, W12D
A1-A-16	R2	O-Ring Added to Bevel Gear Shaft Retainer	D6C, D6D, D6E, D7F, D7H, D7J, D7K, D89A, D89B, D89D, D89E, W6E, W6F, W8K, W12D
A1-A-17	R1	Blue Clutch Shaft Orifice Plugs	D6E, W6E, D7K, W8K, D89C/D, W12D
A1-A-18		O-Ring Added to RH Brake Shaft Retainer	D7F, D7H, D7J, D7K, W8K
A1-A-19		New Part Numbers for Clutch Shafts	W6F, W8L, W12E
A1-A-20		New Intermediate Shaft bearing P/N 342430	W3A
A1-A-21	R1	Improved pinion shaft bearing P/N 2306097W	W400, WD400
A1-A-22		W6G Pinion Bearing Improvement Kit	W6G
A1-A-23		H6H Winches Shifting into Freespool When Winching	H6H
A1-A-24		W6F Winches Shifting into Freespool When Winching-In	W6F

A1-A-25		W6GE Winch Freespool Lock-Out Kit, P/N 2314936	W6GE
A1-A-26		Planetary Reducer Conversion from 18:1 to 23:1 on H8L and H12E	H8L, H12E
A1-A-27		Gear Ratio 4 Available for H4AH3R-R17 on Case 750/850M to Increase Winch Line Pull	H4A
A1-A-28	R1	Purchased a winch with a potentially compromised gear	H5C, W6F, H6H, W6G, W8L

A1-B TRANSMISSION – Power Take-Off

CODE	REV	SUBJECT	MODEL
A1-B-5	R2	PTO Shaft and Coupling for CAT D7F and D7G Series Tractors	D7F, D7H, D7J, D7K, W8K
A1-B-6		Adaptor Box Correction	W6EK, W6FP-K42
A1-B-7	R1	Repair Parts for PTO Shaft	W6EK, W6FP-K42
A1-B-8		Faster Drum Speeds for HD16B	W8KA
A1-B-9	R1	PTO Shaft & Coupling Change for Fiat-Allis 8, 9, 10, 14B	W5A, W6F
A1-B-10		Torque of Low-Speed PTO Shaft Locknut	D89A, D89B, D89C, D89D, W12D, W12E
A1-B-11	R2	PTO Stub Shafts	W6F, W8L
A1-B-12		Replacement of PTO Seal P/N 46392B	D8D, D8L
A1-B-13	R1	O-Ring Added to KOM D65 Adapter Box Input Yoke	W6EK, W6F-K42
A1-B-14		Longer PTO for Thick Case B2-30B's	W12DT, W12E-H61
A1-B-15		Drive Shaft Longevity	W6F
A1-B-16		PTO Shaft Locknut Torque	W3A, W3.5B
A1-B-17		John Deere 750B/850B to 750C/850C Conversion	W6F
A1-B-18		New Driveshaft for W3C Winches Installed on Case 650-850K Tractors	W3C
A1-B-19		Drive Shaft Improvement for Winches with S/N AW6G-1044 to 1092	W6G
A1-B-20		Drive Shaft Yoke Improvements	W3C, W5C, W6F, W6G
A1-B-21		Driveline Mounting Length Issue	W3C-R15
A1-B-22	R1	Transmission Case Reinforcement for Case 850K or New Holland D95 Tractors Equipped with Winches	W3C
A1-B-23	R1	Premature Wear on Drive Shaft Yokes	W5C (S/N AW5C-1627 and lower that have tractor code R37 or R40)
A1-B-24		Mandatory Drive Shaft and Yoke Update	H4A
A1-B-25		Transmission oil transferring into the Allied W6F Winch with S/N 5141 and below, on Caterpillar 527 Track Skidders	W6F (with S/N 5141 and below, on Caterpillar 527 Track Skidders)

A1-C TRANSMISSION – Clutch Assembly			
CODE	REV	SUBJECT	MODEL
A1-C-4	R1	Clutch Packs and Control Valve Change	D7F
A1-C-5	R1	Clutch Pack and Control Valve Change	D89A
A1-C-7	R3	Clutch Assembly Clearance Change	D6C, D6D D7F, D7H, D89A, D89B
A1-C-8		Bevel Gear Shaft Spacers P/N 95476 and 95964	All Power Controlled Winches
A1-C-9		Bevel Shaft Improvements	D6E
A1-C-10		Clutch Spiders	D6E, D7K, D89C
A1-C-11	R1	Hardened Dowel Pins Added to Clutch Spiders	D6C, D6D, D6E, W6E, W6F, D7F, D7H, D7J, D7K, W8K, W8L
A1-C-12	R1	Paper Type Clutch Friction Material	W6F
A1-C-13	R2	Paper Type Clutch Friction Material	W5A
A1-C-14		Wear Limiter Pin Deleted from Clutch Packs	W6F, W8L
A1-C-15		Improved Drum Bearing Retention	W400, WD400
A1-C-16	R2	Clutch & Brake Friction Plate Servicing Instructions	W3C
A1-C-17		H4A Brake-off Improvements	H4A
A1-C-18		Upgraded Material for Spring Reaction Plate on W6G	W6G
A1-C-19		Pinion Gear Retention Kit on W6G for John Deere Tractors	W6G
A1-D TRANSMISSION – Drum			
CODE	REV	SUBJECT	MODEL
A1-D-3		Drum Shafts and Retaining Nuts	W6E, W8K, W12D
A1-D-4		W-Series W6E and W8K for Use with the ESCO Model 88 and 98 Grapple	W6E, W8K
A1-D-5		New Cable Ferrule Lock P/N 274908 and Parts Book Correction	W12E
A1-D-6	R1	New Brake Pressure Plate P/N 287930	W12E
A1-D-7		Parts Book Correction for Drum Shafts	D7K, W8K
A1-D-8		O-Ring Added to Drum Shaft for Sealing	D89B, D89C
A1-Z TRANSMISSION – Shaft			
CODE	REV	SUBJECT	MODEL
A1-Z-4		Clutch Shaft Seal Ring Groove Depth Increased	D6C, D6D, D7F, D7H, D7J, D89A, D89B, D89C

A2-A		FRAME – Case		
CODE	REV	SUBJECT		MODEL
A2-A-1		Mounting Studs		All W5A Tractor Mounts; All Direct Drive and Power Controlled W6E, W8KA, W8H, W8K; All Power Controlled W12DA, W12H, W12T
A2-A-2		Mounting Hardware		W6EK for Komatsu D65A, D65E-6
A2-A-3		Epoxy-Lock Coating on Cover Capscrew		All Winch Models
A2-A-4		Longer Top Outside Mounting Studs P/N 308412		W12DT, W12E-G62
A2-A-5		Longer Top Outside Studs & Thick Nut		W6FP-41
A2-A-6		Relocation of Bottom Outside Frame Stud		W8K, W8L
A2-A-7		Stud Installation Procedure		All Winch Models
A2-A-8	R2	Winch Relocation Mounting Kit for Komatsu D31/37/39		H4A
A2-B		FRAME – Covers		
CODE	REV	SUBJECT		MODEL
A2-B-1		Transmission Case Top Covers		D6D
A2-B-2		Transmission Case Top Covers		D7H
A2-B-3		Transmission Case Top Covers		D89A, D89B
A2-B-4		Gasket Set		D89D, W12D
A2-B-5	R1	W6F - PC Gasket Set		W6F
A2-B-6	R1	W12E Gasket Set		W12E
A2-B-7		W8L - PC Gasket Set		W8L
A2-B-8		W5A Gasket Set		W5A
A2-B-9	R2	Gasket Set		D6E, W6E
A2-B-10		PC Gasket Set		D7J, D7K, W8K
A2-B-11		Cover Alterations for Use with Young Arch		D7K, W8K, W8L
A2-B-12		Additional Oil Brake Cover Capscrews		W6F, W8L, W12E
A2-B-13	R1	W5B Gaskets		W5B
A2-B-14		W12E Wire Harness Guard		W12E
A2-B-15		Upgrade to Access Cover Gaskets		W6F, W6G and W8L
A2-C		FRAME – CAPSCREW		
CODE	REV	SUBJECT		MODEL
A2-C-3	R1	Oil Leak Through Capscrews		D6D, D6E
A2-Z		FRAME – Decal		
CODE	REV	SUBJECT		MODEL
A2-Z-4	R2	W5A Decal Kit P/N 314844		W5A
A2-Z-5	R2	W6F Decal Kit P/N 314846		W6F

A2-Z-6	R2	W8L Decal Kit P/N 314843	W8L
A2-Z-7	R3	W12E Decal Kit P/N 314845	W12E
A2-Z-8	R1	W5B Decal Kit P/N 322142	W5B
A2-Z-9		H6HH and H6HT Winch Serial Number Plates	H6H

A3-A HANDLING GEAR

CODE	REV	SUBJECT	MODEL
A3-A-5		Improved Brake Assembly	D89A
A3-A-8		Brake Capacity Increase	D89A
A3-A-11		Brake Springs	D6C, D6D, D7F
A3-A-12	R2	Oil Brake Mounting Hardware	W6F, D7H, D7J, D7K, W8K, D89B, D89C, D89D, W12D
A3-A-13	R1	Improved Brake Assembly	D6C, D6D, D6E
A3-A-14	R2	Brake Improvements	W5A
A3-A-15	R2	Paper Type Oil Brake Friction Material	W6F, W8K, W12D
A3-A-16		Paper Type Friction Material in Brake	W5A
A3-A-17		Sealer for Brake Pack Shims	W5A
A3-A-18		Pusher Holes Added to Brake Housing	W3A
A3-A-19		Brake Housing & Frame Drain Holes	W5B
A3-A-20		Bolt Torque Chart Revision	W6F, W8L, W12E

A3-C HANDLING GEAR – Handlevers

CODE	REV	SUBJECT	MODEL
A3-C-2		Freespool Handling Gear	D6C, D6D
A3-C-4	R1	Replacement of 165641 Handlever Assembly	D6E, D7J, D89C
A3-C-5		D7H Parts Book Correction	D7H
A3-C-6	R2	Bronze Bushed Handlevers	W5A, W6F, W8L, W12E
A3-C-7	R3	New Quadrastat Controls	W3C, W5B, W5C, W6F, W6G, W8L, W12E
A3-C-8		Correction to Handlever Assembly, P/N 2305577W	H4A
A3-C-9		New Handle Assembly for Joystick Controls	W6G, W8L, W12E
A3-C-10		Improved Sealing for Electronic Joysticks	W5CE, W6GE, W8LE, W12EE

A3-D HANDLING GEAR – Control Linkage

CODE	REV	SUBJECT	MODEL
A3-D-2	R4	Push-Pull Cables	All Winch Models
A3-D-3		Control Cable Adjustment D8 Tractor Series H	D89A
A3-D-5		Control Valve Change - Quick Disconnect Cable Connectors	D89A, D89B
A3-D-6	R1	Control Valve Change - Quick Disconnect Cable Connectors	D6C, D6D

A3-D-7	R1	Control Valve Change - Quick Disconnect Cable Connectors	D7F, D7H
A3-D-8	R1	Freespool Spring Tension	W5A – PFR Only
A3-D-9	R3	BRAKE-OFF DISABLE - Immediate Action Required	WH6G
A4-Z		OPTIONS – Miscellaneous	
CODE	REV	SUBJECT	MODEL
A4-Z-3	R2	Optional Freespool Field Conversion	D6C, D6D, D6E
A4-Z-4	R1	Control Valve Conversion for Fine Inching Applications	D7H
A4-Z-5	R2	Control Valve Conversion for Fine Inching Applications	D89B
A4-Z-6		Control Valve Conversion for Fine Inching Applications	D6D
A4-Z-7	R1	Drag Adjustment (Freespool)	W6F, W6EC, W6EH, W6EK, W6EA, W6EF
A4-Z-8		Freespool Design Change	D6C, D6D, D6E, W6E, W6F
A4-Z-9		New Freespool Bellcrank P/N 344844	W3A
A4-Z-10		Drag Brake Friction Plate Servicing	W400, WD400
A4-Z-11		Installation of Brake-Off Elimination Harness on Allied PTO Winches	W8L, W12E
A99-Z		MISCELLANEOUS – Miscellaneous	
CODE	REV	SUBJECT	MODEL
A99-Z-13		Lubrication Plate	D7H, D89B
A99-Z-15		Parts List for D4E Towing Winches Mounted on the 955, Series K, Traxcavator, 61H1 and Up	D4E
A99-Z-16		D4E Winch Installation on D4D Powershift Tractors	D4E
A99-Z-17	R2	Drumline Ferrules	ALL Winch Models
A99-Z-18	R3	Tractor Attachment Operations Delivery Report	D4F, W5F, W5A, W6F, W8L, W12E
A99-Z-19	R2	Maximum Line Pull and Maximum Cable Diameters	All Winch Models
A99-Z-20		Mounting of W6F - John Deere 750 Winch on John Deere 850 or 855	W6F - E41
A99-Z-22		Product Improvement for Cat 528	W428-03
A99-Z-23		Field Product Improvement: Reduce Winch Noise Through Pinion Retention And New Drive Shaft Design	W6G
A99-Z-24		Safety Alert: Viton Seals and O-Rings	ALL Winch Models
A99-Z-25		Upgraded Programs for Electronically Controlled Winches and Activation Switch for Joysticks	W6GE, W8LE, W12E
A99-Z-26		Non-Current Program in Electronically Controlled Winches	W12EE

A99-Z-27	R1	“Electronic Control Module Programming” Informational Only	All Electronic Controlled Winches
A99-Z-28	R1	Estimated Winch Repair Times	W6G, W8L, W12E
A99-Z-29		Welding Repairs For Structural Cracks	All Winch Models
A99-Z-30	R1	Winch Storage Recommendations	All Winch Models
A99-Z-32		Product Upgrade for W6GE Electronic Controlled Winches on Torque Converter Tractors	W6GE Serial Numbers 1518 thru 1951 mounted on torque converter tractors
A99-Z-33		Winch installation Update for the Komatsu D65-18	H6H
A99-Z-34		Installation of Brake-Off Elimination Harness On Allied PTO Winches	W8L, W12E
A99-Z-35		Surge Protection for Allied Winches with eControls using a DVC710 Control Module	Electronically controlled W12E, W8L & W6G winches