


Door Assembly, LH

## Door Assembly, LH

| Item | Part No.      | Qty | Description                | Item | Part No.  | Qty  | Description                     |
|------|---------------|-----|----------------------------|------|-----------|------|---------------------------------|
|      | <b>596350</b> |     | <b>Door Assembly, LH</b>   |      |           |      |                                 |
| 1    | 258891        | 1   | . Latch Case Assembly      | 17   | 258903    | 2    | . Spacer, Latch                 |
| 2    | 258711        | 1   | . Gasket, Door Handle      | 18   | 258889    | 1    | . Lever, LH Door Release        |
| 3    | 258685        | 1   | . Handle, Pull: Exterior   | 19   | 258899    | 2    | . Washer                        |
|      | 596376        | 1   | . . Key Set                | 20   | 258898    | 2    | . Locknut                       |
| 4    | 586570        | 1   | . Cover, LH Latch          | 21   | 258901    | 2    | . Spring Washer                 |
| 5    | 586550        | 1   | . Plate, Spacer            | 22   | 258893    | 2    | . Screw                         |
| 6    | 258864        | 3   | . Screw                    | 23   | 258904    | 1    | . Spring, Return                |
| 8    | 586529        | 1   | . Door Frame, LH           | 24   | 590009    | 1    | . Glass, Door LH Upper, Sliding |
| 9    | 249395        | 8   | . Capscrew                 | 25   | 586618    | 1    | . Glass, Door LH Lower          |
| 10   | 18717W        | 2   | . Capscrew                 | 26   | 590053    | 1    | . Striker, Holdback             |
| 11   | 258892        | 1   | . Yoke, Linkage            | 27   | R13811014 | 2    | . Capscrew                      |
| 12   | 258905        | 1   | . Pin, Fastener            | 28   | R13802914 | 2    | . Washer                        |
| 13   | 258897        | 1   | . Ring, Retaining          | 29   | 588937    | 1    | . Spacer, Striker               |
| 14   | 258896        | 1   | . Link, Yoke To Latch Case | 30   | 588938    | 1    | . Spacer, Striker               |
| 15   | 258894        | 2   | . Screw                    | 31   | 595993    | 195" | . Seal, Door                    |
| 16   | 258902        | 4   | . Washer                   | 32   | 596083-66 | AR   | . Seal, Door                    |

# Door Assembly, LH



## NOTES:

- 1: INSTALL SEAL AS A CONTINUOUS PIECE AROUND TOP, FRONT, & BOTTOM SIDES OF THE DOOR. MITER CUT AT THE 90° CORNERS TO PREVENT FOLDING SEAL. GLUE MITERED CORNERS.
- 2: IF SEAL CATCHES ON DOOR TRIM ON HINGE SIDE OF DOOR, THE BACK SECTION OF D-SEAL MAY BE REPLACED WITH ITEM 32 FLAT SEAL. GLUE FLAT SEAL AND ENDS OF D-SEAL TOGETHER.

