



Radiator Installation

Radiator Installation


Item	Part No.	Qty	Description	Item	Part No.	Qty	Description
597588 Radiator Installation							
1	* 597705	1	. Radiator	43	Y17C-1028	4	. Capscrew
2	* 595630	2	. Fan, Sucker	44	234271	6	. Washer
3	* 593657	2	. Motor, Vane	45	252047	9'	. Trim, Flap Seal
4	15383	4	. Kit, Split Flange	46	211623	2	. Fitting
5	223315	4	. Fitting	47	589954	1	. Plate
6	211560	1	. Fitting	52	589906	1	. Tube
7	243488	4	. Connector	53	589905	1	. Tube
8	581642	1	. Tube Assembly	57	206289	2	. Hose Clamp
9	590863	2	. Tube Assembly	58	215462	10	. Clamp
10	581644	1	. Tube Assembly	59	209406	3	. Fitting
11	590864	1	. Tube Assembly	63	590058	3	. Clamp
12	588446	1	. Tube, Charge Air	64	209451	1	. Fitting
13	588444	1	. Tube, Charge Air Cooler	69	589940	1	. Air Scoop
14	224222	2	. Vibration Dampener	70	* 590426	1	. Cooler
15	Y27E-06	18	. Washer	71	221560W	2	. Capscrew
16	162572W	8	. Capscrew	74	589930	1	. Bracket:
17	Y17C-0616	8	. Capscrew	78	* 581335	1	. Tank , Surge
18	221664W	2	. Capscrew	79	589956	1	. Channel
19	221777W	12	. Washer	80	R13032	2	. Capscrew
20	R13811196	6	. Locknut	81	R13808111	1	. Clip, Insulated
21	Y73G-0836	4	. Capscrew	82	R13807642	1	. Clip, Insulated
22	246916	1	. Coolant Level Sensor	83	200454W	5	. Capscrew
24	578361	4	. Washer	84	R13811031	2	. Capscrew
25	223436	1	. Fitting	85	209504	1	. Fitting
26	231252	1	. Clamp	86	590483	1	. Bib, Draincock
27	231537	2	. Clamp	87	209512	3	. Fitting
29	251400	4	. Hex Nut	88	209501	1	. Fitting
30	231331	1	. Fitting	89	594199	2	. Bracket, Upper
31	177192W	4	. Capscrew	99	590459	1	. Kit, Hose
32	594215	2	. Plate, Rad Mount	99.1	241688	1	. . Hose, Molded Elbow
35	R13809931	2	. T-Bolt Clamp	99.2	211791	15'	. . Hose, Radiator
36	R1929619	6	. Washer, Rubber	99.3	224766	5'	. . Hose, Coolant
37	243489	8	. Clamp	99.4	598861	1	. . Hose Assembly
38	221771W	20	. Washer	99.5	591054	1	. . Hose Assembly
39	R13811193	7	. Nut, Esna	99.6	225829	10'	. . Hose, Radiator
40	R13811080	2	. Capscrew	99.7	586947	1	. . Hose Assembly
42	581930	1	. Cover Plate				

* See separate coverage




NOTES:




- 1 FLUID LEVEL SIGHT MAY BE MOVED BETWEEN PORTS TO ALLOW FOR AN UNOBSTRUCTED VIEW. BE SURE TO MOVE HARDWARE WITH STATO SEALS TO PLUG UNUSED PORTS.
- 2 TORQUE FAN ATTACHMENT TO 60-65 FT-LBS. SEE SHEET 2.



SECTION 2A-2A
ITEMS REMOVED FOR CLARITY



SECTION 2B-2B



SECTION 3C-3C
ITEMS REMOVED FOR CLARITY

