





Bogie Installation

Bogie Installation


Item	Part No.	Qty	Description	Item	Part No.	Qty	Description
	597656		Bogie Installation				
1	597801	1	. Bogie	12	595249	4	. Plate, Clamp
2	581537	2	. Pin, Pivot	13	221771W	68	. Washer
3	601040	2	. Kit, Bogie Shim (10 GA)	14	302402W	34	. Locknut
4	203498	4	. O-Ring	15	545430	2	. Decal, Warning-No Clearance
5	550329	4	. Seal, Dirt	16	252864	34	. Capscrew
6	580156	4	. Washer, Thrust	17	594807	4	. Plate, Clamp
7	601041	2	. Kit, Bogie Shim (16 GA)	18	598155	2	. Mud Flap, Rear
8	563163	2	. Bushing	19	R13811210	8	. Capscrew
9	598154	1	. Plate, Ballast Cover	20	R13801760	4	. Fitting
10	R13811432	8	. Washer	21	598158	1	. Articulation Lock
11	594805	2	. Plate, Clamp	22	590995	1	. Decal, Wagner





DETAIL 1A1
MUD FLAP CLAMP HARDWARE
TYP. INSTALLATION




NEAREST WHEEL & TIRE
REMOVED FOR CLARITY





DETAIL 2C2
TOP BOGIE PIVOT PIN INSTAL



DETAIL 2D2
BOTTOM BOGIE PIVOT PIN INSTAL

NOTES:

1. TORQUE HARDWARE PER 80-1057.
- 2-2 SHIM AS REQUIRED SO THE CLEARANCE DOES NOT EXCEED 1/16".
- 2-3 INSTALL PIN. GAP REQUIRED TOP & BOTTOM
SEE INSTALLATION INSTRUCTIONS 80-222.
- 2-4 INSTALL ITEM 20 PRIOR TO INSTALLING BOGIE.
- 2-5 TORQUE AS INSTRUCTED IN INSTALLATION INSTRUCTIONS 80-222.